



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines


Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>



Educ 2088.875



Harvard College Library

FROM THE BEQUEST OF


JAMES WALKER, D.D., LL.D.,

(Class of 1814),

FORMER PRESIDENT OF HARVARD COLLEGE;

**“Preference being given to works in the
Intellectual and Moral Sciences.”**

23 Sept. 1891.





3 2044 096 984 083



A COURSE OF LECTURES ON THE
STUDY OF CHILDREN.

WORKS BY THE SAME AUTHOR.



THE ANATOMY OF MOVEMENT: A Treatise on the Action of Nerve-Centres and Modes of Growth. Three Lectures delivered at the Royal College of Surgeons. Cr. 8vo, cloth, 4s. 6d.

KEGAN PAUL, TRENCH, & CO.

INTERNATIONAL SCIENTIFIC SERIES.

PHYSICAL EXPRESSION: ITS MODES AND PRINCIPLES.

KEGAN PAUL, TRENCH, & CO.

Second Edition.

THE STUDENT'S GUIDE TO CLINICAL MEDICINE AND CASE-TAKING.

J. & A. CHURCHILL.

All Rights reserved.

©

THE CHILDREN:
HOW TO STUDY THEM.

A COURSE OF LECTURES.

BY

FRANCIS WARNER, M.D., F.R.C.P., F.R.C.S.,

HUNTERIAN PROFESSOR OF COMPARATIVE ANATOMY AND PHYSIOLOGY
IN THE ROYAL COLLEGE OF SURGEONS OF ENGLAND,
PHYSICIAN TO, AND LECTURER ON BOTANY AT, THE LONDON HOSPITAL,
FORMERLY PHYSICIAN TO THE EAST LONDON HOSPITAL FOR CHILDREN.

*These Lectures were delivered at the request of the Council of
the Fröebel Society.*


© LONDON:

FRANCIS HODGSON,
89, FARRINGDON STREET, E.C.

1887.

Educ 2088,87.5

~~V. 4044~~



Walker Fund

P R E F A C E.



THESE lectures are addressed to all who, as parents or teachers, are responsible for the care of children, in the hope that they may help to a better understanding of them.

For several years I have been engaged in an enquiry as to the visible signs by which we may study mental states and brain-action. In these lectures I desire to present a portion of this work, and shall point out what to observe, and how to describe the facts seen. In selecting material from my MS., it appeared best to put forward that portion of the work which indicates practical points, likely to be of use to all concerned in any way with young people.

To study is to observe, describe, and think ; and in studying children by scientific methods, we may hope not only to gain useful knowledge as to methods of educating and training boys and girls, but also to train ourselves to scientific accuracy in observing and thinking.

The child and his brain-action are here studied

as other living things in nature have been studied ; the philosophic significance of the signs described has been fully given and published elsewhere. This work is not undertaken in a spirit of mere discussion, but as a part of progressive scientific work which it is hoped may assist those in charge of children.

I think that much useful knowledge is likely to result from the careful and systematic study of facts seen in children. I have employed the methods here proposed for several years, both in medical practice, and in frequent visits to schools. It is possible and practicable to look at the children in a school, and without asking questions, to note the signs of nutrition, the conditions of development, and the present acting condition of the nerve-system of the children. We may observe the form and proportions of the body, the absence or presence of defects of development, fulness of form in face and limbs, the colour, etc. The nerve-system may be studied by systematic observation of the attitudes or postures, and the movements seen in the body and its parts. The rapidity and precision of movement, special movements controlled by the eye and the ear, and the like, are important signs of mental action and capacity for training. The head, face, eyes, the spine, and the arms are the parts specially studied. Such signs have been here employed in describing various conditions, such as consciousness, fatigue, rest, *etc.*, and the facts indicated can be observed with our *eyes*.

Many more points for observation might be given and may be added on future occasions ; but I desire to impress a few principles, and not to weary the reader with many details.

I should be grateful to any who will communicate to me their observations on children, and suggestions for the further prosecution of this work.

F. W.

24, HARLEY STREET, W.



CONTENTS.



LECTURE I.

PAGE

THE CHILD AS WE SEE HIM I

Our common interest in children, our desires and aims.—

The child as a study.—Definite and exact knowledge of child nature essential.—Methods of enquiry; scientific study by observation and thought.—The body of the child, height, weight, colour; its parts, their anatomy.—The head, trunk, legs, arms and hands.—Form and signs of development.—Physiognomy, Lavater's work.—Features of head and face.—Definite laws of form cannot be given.—Value of study of works of art.—Children of the East and West.—Fixed expression and mobile expression. Brain action is expressed by movements.—Law of coincident development.

The head and face, the features, the skin, their common defects.—The case of a schoolboy.—Studious observation required by the observer.—Note shape of head, low, narrow forehead, hairy forehead, diameters, angles and measurements of head.

Eyes, testing sight.—Signs of nutrition.—Observe for yourselves by the methods of science.

LECTURE II.

ORGANISATION AND FUNCTIONS OF THE BRAIN, AND
THE SIGNS OF ITS ACTION 17

The brain is hidden from view, its function is known by the *movements* which it produces.—Mind manifested only by *movements*. Emotions and conditions of brain expressed

in speech, games, etc.—The brain: nerve-cells, nerve-fibres, nerve-force, and nerve currents.—Analogy to a galvanic cell.—Afferent and efferent nerve-fibres and currents.—Nerve-centres, or parts of brain acting separately.—Every movement due to action of a nerve-centre.—Imaginary view of a child's brain at work.—Spontaneous movements: movements directly stimulated through the senses: reflex-movements.—Spontaneous movements of an infant.

Every nerve-centre must be nourished and stimulated.—
Each set of movements implies action of one set of brain-centres.

Postures imply a certain balance of action in nerve-centres.
Postures of free parts indicate brain condition and mental state.

LECTURE III.

THE ARM, THE HAND, AND THE SPINE 30

The upper extremity, its parts; large parts and small parts.
—How to examine a child; the hand to be left free.—
Signs of strength; the “straight hand.”—Awkward postures.—Postures and defects of growth.—The *Venus de Medici* and the *Diana* compared.—The “nervous hand” posture, its reproduction in art; its opposite, “the energetic hand.”—Straight hand with thumb drooped, examples seen in schools.—The “hand at rest.”—The “feeble hand”; contraction of the palm.—The “hand in fright”; *Cain*, and the *Niobe* at Florence.—The “convulsive hand,” seen in passion.—Modifications of typical postures.

In examining children look for movements of fingers, bending or lateral: take both full face and profile view.—
Close observation and study necessary.

Postures and movements as signs of brain action.—*Asymmetry of postures, and curvature of spine, due to weakness.*

LECTURE IV.

	PAGE
THE HEAD, THE FACE, AND THE EYES	43

The head as an index of the child, its development and movements.—Sir Charles Bell's essay.—Movements and postures of the head defined, flexion, extension, rotation, and inclination; symmetrical movements.—Rotation effected by sight. The lower jaw, its movements and muscles.—Tooth-grinding; children who bite.—Bending of the head, importance of preventing stooping.—The head erect: backward bending in disease, in emotion.—A weak posture.

The human face; its anatomy; muscles of expression and of mastication; their nerves; blushing.—Examination of a face, upper, middle, and lower zones, and its halves; inspection of each zone.—Expression of mental anxiety contrasted with bodily suffering.—Mental terrors in children.—Asymmetrical expressions.—Fatigue and exhaustion; the signs of headache.—Conflict of muscles in the face.—Signs of previous action in a face.—A true story.—Check bad expression in face.—Types of faces.—Nutrition of face, a dull face.

The eyeballs and parts around. Anatomy of the eye, its movements—Harmonious movements of eyes: horizontal and vertical movements.—Lateral movements controlled by light and sound; spontaneous movements.—Squint, its prevention.

LECTURE V.

SIGNS OF GENERAL CONDITIONS OF THE BRAIN, AND EXPRESSION OF MIND.	56
--	----

Signs of *consciousness*, and observation of children during sleep; depths of sleep.—*Fatigue*, signs in the hand, head and face.—Exhaustion indicated in hand, face, speech, *twitching* movements. *Irritability*, excessive reflex *action*.

Nutrition, its signs structural and motor ; an ill-nourished infant ; altered appearance.—Signs of brain nutrition.—Nutrition indicated by proportions of growth.—*Rest* known by subsequent activity ; a child impressionable during rest, not when unconscious. *Activity of brain*, joy and laughter. Study of a nervous child, his body, and signs of brain action. Expression of mind in children ; no direct signs at birth.—Comparison of an idiot and an intelligent child.—Description of a healthy infant, its body and its brain action ; its movements controlled by sights and sounds ; its reflexes.—Growth of the child, its playfulness.

LECTURE VI.

OBSERVATION OF CHILDREN AND EDUCATION . . . 6:

Observation of children a study open to every one, and a duty.—How to look over a school : observe signs of development, nutrition, and state of the nerve system.—What is the condition of English children ?—Knowledge required alike by parents, teachers, and school managers.—Selection of teachers.—Reports of schools : illustrative cases.—Nervous children : headaches.—Troublesome children.—An exhausted child.—Small children in high classes.—Defective development and exhaustion.—Dull-brained, feeble-minded children : what becomes of them ? Exemptions.—How to retain feeble children in our schools.—Our future failures, paupers, and criminals.—Honour to the teacher who saves a feeble child.—The brain can be improved by education.—Deterioration of neglected children.—Education must embrace the whole nation.—It is our self-protection.—All should help.

THE CHILDREN: HOW TO STUDY THEM.



LECTURE I.

THE CHILD AS WE SEE HIM.

IT is with much pleasure that I commence this course of lectures at the request of the Fröebel Society. I observe that your motto is, "Let us live for our children." Is it not certain that if we would live for the children, we must learn to study them? Hence I need not apologise for asking your earnest attention to a subject, which must come to the front in the immediate future of educational work. It may be presumed that we are all interested in obtaining knowledge as to the best methods of training children, and of so dealing with them as to encourage and help on the development and growth of their moral and mental faculties, in order that after some years of training they may pass out into the working and struggling world, fitted as best we can make them for the duties and labours of life.

In educational work the child should be the primary consideration; it is concerning the study of children that I want to speak, urging you to observe them on every occasion, noting and thinking about

what you see. In such work the teacher and the physician may well join hands. Having conversed with many teachers as to their knowledge of children, it must be confessed that some study only their faculty of producing lesson work ; but many thoughtful teachers have expressed their desire to know how to judge for themselves what kind of child they have before them, and how to determine what is best for the child itself. How can we see for ourselves the signs of fatigue, the signs of headache, irritability of brain, defects of sight, or the signs of mere laziness, etc.? These are questions that much concern the parent, the teacher, the friend of the child.

Some teachers think that they know enough about children. The master of a large school told me that he knew all about children, and as to what kind of boys and girls he had in each class ; when I presumed to ask how he obtained such knowledge, and whether he could instruct his young teachers in such matters, he told me he knew by instinct and practice. Much that I have seen in schools, and much that teachers have said to me, shows the importance of defining our knowledge with exactness, and not trusting simply to what is called intuitive knowledge. That a certain amount of knowledge as to studying children in the school and the home does exist among us there is no doubt, but it needs to be collected, defined, and systematized. Knowledge of children is power to the school manager or teacher, but to be available the knowledge must be definite and precise.

Many who have the charge of young children, as well as those of us who have children of our own *at home*, are anxious fully to understand the little ones,

in order that we may the better fulfil the educational duties which we have undertaken, and we know how difficult it is to understand the exact condition of the children.

There are many different points of view from which we may study children, many lines of thought may be followed in this matter, but the method I would urge upon you in this course of lectures is that of systematic observation,—that which I want you to study is that which you actually see, apart from any inferences you draw from facts, it is most important in scientific work not to confuse what you see and what you believe to exist. Let us study the child as we see him with the best powers of our mind, and careful, earnest thought.

In the course of these lectures I may sometimes speak very dogmatically, stating that such and such things are the results of certain causes, without giving any reason for the assertions. I must ask you to accept these statements, as it would be impossible for me to enter into details in a short course of lectures.

Children may be studied in many ways,—we may read about them, think about them ; we may study the results of their work at school, or the methods by which others teach and train them. We may study books on physiology, which teach how the circulation, digestion, and respiration are carried on. We may study the structure and uses of the organs of special sense, their connection with the brain, and how they influence its action. All such studies are of value to you, still there remains the question, “How may we, as individuals interested in children, best study them for ourselves?”

If I speak of my own methods of examining and

studying children, it is with the full acknowledgment that other means may be used, but it is my purpose to employ methods which I have proven. These methods I was gradually led to systematize in my own studies, and I have used them now for some years ; they are founded upon scientific and physiological facts, and necessitate observing individual children, and thinking about the facts observed. Such scientific study requires that facts shall be observed by you, recorded, and thought over ; still, be not discouraged, a little steady practice will make all easy, and the effort will, I think, teach you much, give pleasant study, and place a real power in your hands.

It will at once be obvious that the facts we are to observe must be physical facts—we cannot directly observe the action of the child's mind with our eyes and ears, but we can observe the child's body, its make, its movements, and the signs of its nutrition ; these can be seen and recorded in words, they can be thought over and studied.

To observe children with success, we must learn what to observe in an individual child, and how to describe what we see. To know how to describe what is seen is almost as important to our purposes as to know what to look for ; such descriptions aid our memory, they enable us to compare observations, to think about them, and to see their meaning.

When we proceed to study a child, we look at him and observe his body ; we see the height, form, colour, and the movements and results of movements. It is *necessary* to observe such facts before we try to *determine their meaning* and their causes, hence I *shall say more about the description of facts that may*

be observed than as to their meaning ; you must, to some extent, learn for yourselves the significance of the signs seen.

There is an average height and weight for children at each time of life ; these averages have been determined and recorded. Mr. C. Roberts'* book on Anthropometry gives these proportions in detail, and his printed schedules have been used in some schools by intelligent teachers. Looking at the hair and the eyes we note their colour, this is due to pigment in their structure ; looking at the face and neck we notice a light or dark complexion, which, in as far as it is fixed, is also due to pigment. In the face we may see variations in colour due to the amount of blood circulating in it from time to time, thus the cheeks and lips may have a full colour or be pale ; look also at the ears, as well as under the semi-transparent nails. In a healthy, robust child the colour is due to the active circulation of red blood ; the fixed colour is due to granules of pigment in the skin itself.

We now pass on to speak of the parts of the body—the head, trunk, and limbs ; each of these divisions of the body consists of smaller parts, which will be briefly described. It is important to understand something on these points, because we shall have to describe the movements of various parts.

In observing a child, we have its body before us, we must look at it carefully, and try to describe what we see, not what we think we ought to see. Study and describe for yourselves the child as you see him while he is present, and think over what you have seen afterwards.

* "A Manual of Anthropometry." Mr. Charles Roberts, F.R.C.S. 1878.

It is best to look at the child from two points of view, so as to get a full face and a profile view—different outlines of the head and face are thus seen ; it is very desirable that such observations be made in a good light. The anatomy of parts of the body will now be given briefly, and then we shall be in a better position to resume our studies.

The head consists of the bony skull, the upper part of which forms the brain-case. The eyes are set in two sockets or cavities in the skull, and are moved by muscles. The lower jaw is a separate bone jointed to the skull, so that it can be moved by muscles in eating and in talking, etc. The face is composed of a layer of many small muscles placed in front of the skull ; this layer is covered by fat and skin.

The trunk or body has a bony framework, of which the spine is the main prop or support. The spine consists of a number of small bones united by pads of cartilage or soft material, which allow of a certain amount of movement in the column formed by the bones, so that the spine can be bent to some degree forward, and backwards, or laterally. The skull is jointed to the top of this column.

The upper extremity consists of the blade bone or scapula, placed over the back of the trunk ; the collar bone or clavicle stretches horizontally from the scapula to the breast bone and helps to keep it in its proper place, and the arm is hung from this blade bone. The upper arm contains the bone called the humerus, jointed at the shoulder to the blade bone. The forearm has two bones—the radius on the outer or thumb side, and the ulnar on the inner side ; these two bones are jointed to the humerus at the elbow, and allow of

two kinds of movement. The elbow can be bent, or, as we say, flexed, and it can be straightened or extended ; a rotatory movement of half a circle can also be performed at the elbow. When the palm of the hand is brought forward or laid upward the forearm is said to be supine, and this movement is called supination ; when the back of the hand is brought forward the movement is called pronation. These rotatory movements at the elbow are due to movements of the radius on the humerus.

The wrist is composed of eight small bones, and this joint allows of movements in all directions.

The hand has four fingers and a thumb, spoken of collectively as the digits ; these are united to five metacarpal bones, which form the palm of the hand and are jointed at the wrist. The palm of the hand can be moved at the wrist in flexion or extension as well as laterally ; it can also be contracted or screwed up by bringing the bones together so as to form the hand like a cone. The digits can be flexed or extended, and they can be moved laterally.

These parts have been particularly mentioned because we are concerned with their separate movements. When we look at a child we see these parts clothed with their muscles and soft tissues, and covered with skin ; we observe the members, their form and proportions, and in some degree we judge of the development and state of nutrition of the child by such facts.

Physiognomy is defined by Lavater as "The art or science of discerning the character of the mind from the features of the face." Such modes of study include notice of the proportions of the head such as

the following : the height and width of the forehead, or its narrowness from temple to temple and shallowness from the hair margin to the eyebrows ; the greatest circumference of the head, which is something like $21\frac{1}{2}$ inches at eight years old, the measurement from ear to ear over the vertex being about 12 inches. The greatest transverse diameter of the skull in a child is behind the ears ; and the outline of face and head as seen full face should give the greatest transverse diameter high up, well above the cheek bones in the part forming the brain-case. The facial angle is seen best in profile.

The colour, length, and growth of the hair are noteworthy, as well as its arrangement.

In observing the face the separate features must be described—the eyes, ears, nose, mouth, and lips, the forehead, the position of the cheek bones, the chin, and lower jaw. . The movements and mobile expression of the face will be described in Lecture IV. The outward appearance of the body or the passive expression has been studied from ancient times, and much has been written on the subject.—The laws of form and proportions of the body have been laid down by many authorities who differ much among themselves ; such studies have been undertaken from the philosophical and artistic points of view rather than as a part of the study of physiology.

As you look at children, observing their form, you will see some with a shapely well-cut head of good size, while others are ill-shapen or small ; the features may be defective, and as such show us signs of faulty development. You may desire definite directions as to what may be considered the standard of excellence

in the development of the head and body. I cannot give you such definite instructions, but will advise you how to obtain a general knowledge as to the signs of perfection for yourselves. At every possible opportunity observe the outline, form, and size of people's heads, paying special attention to the points mentioned ; study the physiognomy of children and persons known to you, and draw your own conclusions as to the value of your observations.

Study also good art representations of the human figure, and learn from them the rule of perfection. I do not think that the study of good drawings and statuary is sufficiently valued among us : in connection with the subject before us, we should all avail ourselves of any opportunity of studying really good works of art, and thus learn from those men who have long observed the human body what is the standard of its excellence in form and outline, as well as grace in movement and posture. It must be said that the standard of normal physiognomy varies greatly not only at different ages but also among the different social classes. A different standard must be taken as the normal for the children of the well-to-do from that for our hospitals at the East End. The standard of height and weight in children differs in statistics drawn from among paupers as compared with those taken from among the wealthy and educated classes, so that in making comparative observations children must be compared with the averages drawn from similar social classes ; the same remark applies to measurements of the head. At the London Hospital, in Whitechapel, and in primary schools in poor districts, I often see children the signs of whose development I consider normal, but which I should

view with some anxiety in the well-cared-for child whose ancestors had been educated and in a good social position. This shows the importance of studying children in various places if you would thoroughly understand them.

Much has been written on the subject of physiognomy that may interest you. I want now to compare the writings of Lavater, and those who followed in his steps, with the later work of Sir Charles Bell on the "Philosophy and Anatomy of Expression." The knowledge and the methods of the two authors differ. Lavater described the size and form of the head together with the character of the man, he did not know the signs of brain action; he observed the immobile signs, we shall see their significance presently. Sir Charles Bell described not only the anatomy of the brain and nerve-system, and the muscles which produce movement; he showed that the brain by its action, as it sits hidden from view in the skull, sends out currents of force to the muscles all over the body, producing those movements which we call mobile expression. Bell showed, further, that currents are constantly passing from the surface up to the brain, guiding and controlling its action.

We want to study the signs of brain action; you will ask what is the connection between physiognomy and brain action? As to the size of the head in connection with the brain, it is certain that the brain can be no larger than the bony case which contains it, and the brain is often badly made when the skull is badly shapen; we shall see more about this further on.- The signs of brain action, and the most valuable

signs of its condition, are the movements and results of the movements which it produces in the parts of the body ; these will be described in the succeeding lectures. It is of great importance clearly to understand the difference between the two modes of expression—passive immobile expression indicated by the size and proportions of the head and other parts, and the mobile expression or movements which are the direct outcome of brain action upon the muscles. The most important signs of brain action are the movements, and results of the movements which it produces, such as the postures and attitudes of the body and speech ; they are the direct outcome of brain action, and can be observed and studied by all.

If movements are the only direct signs of brain action, and the best indications of its condition, of what advantage to us is the study of physiognomy, and the size and form of parts of the body ? Let me put before you a generalization of our knowledge in the form of a law of nature, and call it the *law of coincident development*. When any part or parts of the body present signs of defective development, the brain is very apt to be defective likewise.

It may be convenient to describe some of the more *common defects* that you will see in looking at the head and the features. The head may be too small, or it may be misshapen ; the forehead may be very low and receding ; the hair of the head may come down too low, or the forehead may be covered with long downy hair. The forehead may be too narrow or it may be lumpy.

Look with care at the parts around the eyes, the

eyelids, and the inner angle towards the nose ; we sometimes see a defect here, usually symmetrical on the two sides, the epicanthic fold or skin at the inner angle being too much developed, giving an appearance of great width between the eyes, and a want of clean-cut appearance at this part ; the feature is not unlike that seen in some members of the Japanese races. The cheek bones (malar bones) may be very prominent.

The lips may be thick, clumsy, and coarse ; this is common in strumous children. The upper lip is occasionally cleft (hare-lip), or the scar which is left after the surgeon has cured such deformity may be observable.

The ears are often defective ; they may be similar on both sides, or they may be unlike. The part of the ear most commonly misshapen is the upper part of the rim,—this may be almost absent, or it may be contracted, giving the ear a cave-like appearance ; the lobule of the ear at its lower part may be adherent to the face, but this is not of much importance. These defects do not interfere with hearing. I think we are more likely to have coincident defects of brain when only one ear is misshapen.

The condition of the *skin* is noteworthy ; it may be thin or very coarse.

A boy attending a board-school was brought to me by his mother because he was troublesome, did not do his work, and was always in disgrace and punishment, and she did not know what to do with him. I *observed at once* that he had a cleft upper lip, which *had been closed* by a surgeon, but the scar remained. *Knowing the frequency* of several coincident defects

in the same child, and that the brain in such cases is often but not always badly made, I examined him with care. The boy had a defect of his heart, and his brain was ill-developed. Advice was given that he should continue at school, and that the teacher should be informed as to his condition, that he might be kindly treated and not expected to pass examinations. This boy has a right to the benefits of education; they afford the best chance of his improvement, and of preventing him from becoming a failure in life. Such cases are common; illustrative examples will be given in the last lecture.

After looking at the child to see the signs of his development, we want to determine his probable condition at the time we see him. The signs of the general nutrition of the body are important, and may well be considered here before we deal with the child in action. His plumpness, fat and colour are the most obvious signs: a caution must be given, the face may be fat while the limbs and body are thin, hence I generally feel a child's arm and look at his legs. When you note the colour of the lips and skin, as signs of general nutrition observe also the hair and the eyes; when these are dark it is owing to the amount of pigment in these structures, and then the skin is usually darker in its tint. Observe whether the colour comes and goes; such changes are due to the action of the nerve-system on the blood-vessels. If there be permanent paleness it may be due to a poor state of the blood called anæmia; then the child is out of health. A pale child may flush much. Defective colour may be due to ill feeding, to living in rooms badly ventilated, hot and close, or too dark. A

southern aspect is very desirable for children's rooms.

We shall have much to say hereafter about the signs of mobile expression, but before we pass away from the study of the body in its immobile or passive condition, a few more words may be said as to the means of training the eye to recognize the perfect outline and form, and to observe any slight departures therefrom. For the purpose of training your eyes to appreciate perfections of form, and deviations from it, use your powers of observation at every opportunity, observe your friends and acquaintances and all round you ; specially observe children according to the rules laid down ; try to form a general opinion in each case whether they be intelligent and well-bred children, then describe their form for yourselves as best you can, and fix those examples in your memory that are of high class type ; go into schools in poor districts, and study the less well-born children. The types of perfection of form should be seen in art—they are seen in much of the antique and in some modern statuary ; works of art may thus be useful to you. To study perfection and beauty of form you should contrast the most perfect with the least perfect, examples of low development in contrast with more perfect productions will throw much light upon your studies ; the contrast of marked perfection with imperfection throws each into greater relief and prominence. Leonardo da Vinci, we are told, searched for ugliness.

In all that may be said in these lectures I want to help and encourage you to observe for yourselves, and this for several reasons. Continuously observing

gives a pleasant personal interest to the observer, and all who have charge of little children need intellectual encouragement and help in such work. The observations you make for yourselves will be of more use to you than facts that have been observed for you, or that you have heard or read of, and the personal effort will give you a deeper and truer insight into child-mind and its dependence on brain action than anything that can be taught to you. Lastly, I much hope that in a little time we may benefit much in our scientific work by the record of your experience, and that knowledge of high social value may result from our joint efforts for the children. The parent, the teacher, and the guardian of the child will study him not only for his body's health and development, but also for the sake of helping and understanding his mind, and his capacity for the development of moral and intellectual faculty. This is my own desire, this has been the animus of much labour during several years, the outcome of which is now offered to the children through you.

The methods by which we here proceed in our studies of children are those of physical science, the same methods as we use in studying physiology, botany, chemistry, or physics. We therefore here make the same primary assumptions as in other scientific work; we assume that every physical fact has a physical antecedent or cause, and that no new force is being created in the child as we observe it, and that every particle of growth, every movement that we see, and every result of growth or movement, are *effects of physical causes*. We do not say that the *child is a mere machine*—it is not so; but we do say

that his movements are produced by physical causes, and that they are within the domain of scientific study.

Now a few words must be said about eye conditions in children, though time will not allow me to enter into the details of so wide a subject. Teachers ought to know the signs of those manifest diseases of the eyes which make the child unfit for school life, and call for prompt application to the doctor ; this especially applies to ophthalmia, which is very destructive to eyesight and highly contagious. Many cases of defective eyesight are due to "short-sightedness," and these might be found out by periodical examination of the children by the master of the school. Mr. Priestley Smith* says—"It is the simplest thing in the world, and would not take half a minute for each child. A set of test letters is hung on the wall ; a line is drawn upon the floor at a certain distance from it ; each child in turn is made to toe the line, and to read the letters. Any child who cannot read the letters has a defect of sight of some kind or another."

There are other defects of eyes which may produce headaches in children, and are remediable by spectacles.

* Lectures on Health : "Eyesight, and how we lose it." By Priestley Smith, Esq. Hamilton, Adams, & Co., 32, Paternoster-row.

LECTURE II.

ORGANIZATION AND FUNCTIONS OF
THE BRAIN, AND THE SIGNS OF ITS
ACTION.

IN the first lecture we studied the child as we see him, looking at the external parts of his body while at rest in the passive state, and certain signs were described which you may observe as indicating good development, or defects in the development of the body. It was shown that when defects are seen in the features or parts of the body, there is often coincident defect in the organization or make of the brain.

We now pass on to consider the brain itself, its functions, and the signs of its action. The brain is a part of the body hidden from our view, and enclosed in its bony case in the head. The brain of the child is carefully protected from injury, being surrounded by delicate membranes and a slight layer of fluid; it is well supplied with blood, which circulates and supplies it with needful nourishment. Important as the functions of the brain are, and much as we desire to study its action, there is only one way in which we can watch the effects of its working, and that is, by the movements which it produces in the parts of the body by its action on the muscles. All

movements in the body are produced by the action of the nerve-system upon the muscles : this is very important to remember. Hence we shall have much to say about movements, the outcome of movements, and mobile expression as signs of brain action, and the brain condition.*

It may occur to you that as much has been said by physiologists about the connection between the mind and the brain, we might study mental action as signs of brain action. Let me make an assertion, and then support it by illustrations. *All expression of the action of mind is by movement, and the results of movement.* A child is at lessons, he repeats what he has been taught, accompanied by gestures or movements ; his speech is produced by the *movements* of his chest, larynx, and the parts used in articulation. The written exercise is the outcome of the *movements* of his hand acting upon the pen. His intelligence may be shown in a game, in the house he builds with his bricks, or in the paper-folding which he does so neatly with his fingers ; in all such cases the signs of the action of mind are the *movements* produced by the brain.

The general condition of the nerve-system is expressed by motor signs,—freshness, fatigue, irritability, may all be indicated to us by the movements of the child, the absence of movements, or by the attitudes or postures of the body which depend upon motor action. Examples will be given in Lecture V.

The expression of the emotions is by the action of the brain upon the muscles of the body, and their contractions produce the signs which indicate to us

* See author's work on "Anatomy of Movement."

what are called the emotions of the mind. We shall in these lectures study movements produced by the brain, not mind itself in the child.

A few words may be said as to the structure and modes of action of the brain, then we shall proceed to describe the signs which we can see as indications of its function, and its condition.

The brain is a soft and delicate structure, seated in the brain case, and carefully protected; it consists essentially of two kinds of material, the nerve-cells and the nerve-fibres. The nerve-cells are the makers of nerve-force when duly nourished; for their proper nutrition they need a good supply of blood in their vessels. A nerve-fibre passes off from each cell and conveys the force generated in it, which is then called a nerve-current; there are millions of such cells in the structure of the brain. When the nerve-force generated by a nerve-cell is carried by a fibre to a muscle, say in the face, or in the limbs, this nerve-current causes the muscle to contract or shorten, and visible movement results, the movement being produced by the force sent from the nerve-cell. The movement seen indicates to us the time and quantity of the discharge of force from the nerve-cell; such movement is conveniently called a nerve-muscular movement.

The substance of the brain is thus mainly made up of groups of nerve-cells, many of which are connected with one another by nerve-fibres, and many of them are connected with the muscles of the body, and send nerve-currents to them, thus causing the movements of the members. The nerve-cell generates force as the outcome of its nutrition, and may be compared to

a galvanic cell which generates electrical force as the outcome of chemical action taking place in it. The electrical force formed in the galvanic cell may be conducted to a distance by a wire, and if this end be connected with a galvanometer it may produce movement of its needle at a distance from the battery. If several electrical cells be connected together in series by means of wires, the force generated by one cell is communicated to the next, and increases the strength of the current circulating in the wire that passes off from the battery; this force may be distributed to parts at a distance from its origin.

As time goes on, the strength of the battery will run down, the chemical action in it lessens, the material in the battery is used up, and no more force is sent out till the materials in the cell are renewed. While the brain is giving out force, it must be replenished by nutrition, or it will run down and be less capable of producing energy after a short time; it will then need food and rest, and the stimulus which aids brain nutrition.

We have spoken of the nerve-cells of the brain as being connected with one another, and with the muscles of the body which produce movements of its parts. It must now be explained that there are other nerve-fibres which connect the organs of special sense—the eye and the ear, etc., and the skin all over the body—with the cells of the brain, and convey currents of force from these parts, respectively, to the cells of the brain; such nerve-fibres are called *afferent*, because they convey currents upwards to the nerve-system; in distinction from these the fibres which convey currents from the nerve-cells to the muscles are called *efferent*. The

fibres which pass in both directions are collected into bundles or strings, and are commonly called the nerves of the body ; the ingoing or afferent nerves convey stimuli to the brain, the outgoing or efferent nerves carry motor currents from the nerve-cells to the muscles.

If you see my arm move you know this means that the muscles of my arm are contracting, and that this is due to currents of nerve-force passing out to them from certain nerve-cells by means of the efferent or motor nerves. Place an orange in front of a child, then you will see his head and eyes turn towards it, next his hand is moved over the orange, his fingers are closed over it, and it is seized. This series of movements is due to a series of nerve-currents passing from the nerve-cells to the muscles of the parts moving ; this series of nerve-currents from the nerve-cells to the muscles follows the impression produced upon the brain by the sight of the orange, or by the afferent currents passing from the eyes to the brain, and these are stimulated by the light reflected from the orange.

Many parts of the brain can act separately : every movement corresponds to the action of a certain portion of the nerve-system, or, as we call it, nerve-centre. It is probable that every movement indicates the discharge of force from a certain area of nerve-substance, and that such discharge of force necessitates not only a supply of good blood to that piece of nerve-tissue, but also that the nerve-tissue shall be stimulated by some force.* Stimulation is necessary to movement as well as a supply of blood to the nerve-centre ; sights and sounds are the more common stimuli to movements.

* See "Anatomy of Movement."

Allow me to depart for a few moments from the strict methods of scientific description, and call upon your imaginative powers to follow that which can be seen in the brain of a living child during an ordinary morning's occupation. The hair of the child, his skin, and skull are supposed to be quite transparent, as also the other structures, so that we may see what is going on. Let us assume, if you please, that we can see the form and structure of all parts, the organs of special sense, the afferent nerves, the nerve-cells, and their efferent fibres. Let us suppose, further, that we can see the afferent nerve-currents passing from the organs of sense and the surface of the body by the nerves to the brain-cells, and from the nerve-cells by the efferent fibres to the muscles, causing them to move. Let the colour of the parts of the brain indicate to some extent what kind of action is taking place at the moment in each part respectively : let red represent nutrition of the brain as produced by the blood supply ; white representing the function of sending stimuli by efferent fibres to the muscles, and producing movements by their contraction ; lastly, let blue represent the mental function of the parts of the brain.

We commence our observations on the child in the morning, before he is awake. Viewing the body and its brain while as yet there is no light, and no sound impressing his senses, we see his body motionless except for the movements of respiration ; these continue in regular succession. No nerve-currents are passing upwards by the afferent nerves ; he is in perfect dreamless sleep. Looking at his brain there is one uniform red tint, indicating full universal nutrition, there being only a little white tint about the centre for

the movements of breathing. No currents are passing by efferent nerves to the muscles.

As time goes on the sound on lighting a fire in the next room sends an afferent current from the boy's ear to his brain ; we then see some movements of the limbs—the elbows, wrists, and digits move. Looking at the brain we see the cause of these movements—some small groups of nerve-cells have changed their colour, becoming whiter as they discharge efferent currents to the muscles ; this motor action follows the impress of sound. Soon all is quiet in the child's limbs and body, the universal red tint again pervading the brain as before, and he continues his quiet sleep.

As domestic noise begins in the house, and the sun shines in through the window, we may see movements in all the limbs, and the eyelids open. In the brain we now see great changes : the general red hue is much lessened, white patches sparkle here and there on both sides of the brain, showing the spots which are sending currents to produce these movements. Afferent currents are seen streaming up the nerves from the ears and eyes, stimulating the white spots to send out motor currents by their efferent nerves to the muscles of the limbs, to the muscles of the face, those which open the eyes, to the tongue, etc. And now the child is said to be awake.

We observe him at his breakfast, sitting still and eating without talking ; the diminished movement is shown in the brain by fewer white flashes, and the red light again becomes bright as his meal digests. And now this rested, well-fed boy, with a transparent head, arrives in the schoolroom ; his brain shows the bright red tint with many white flashes as he joins in the pre-

liminary game. Next, as he stands in his place when teacher calls for attention, we see him still and quiet, while the words said to him and the things shown him cause a rush of nerve-currents from the ears and eyes to the brain ; the red tint of brain remains, while the white lessens and is in part covered by a bluish tint in places. Through the next two hours of work let us watch his brain carefully. White and blue flash together as the lesson is repeated, or the exercise written, for speaking and writing involve movement. When the child pores over his book trying to commit verses to memory, we see much blue light about his brain, but little white. In the second hour of work he gets fatigued, the red and blue both lessen, and occasional white flashes correspond to the so-called restless movements of the child. The afferent currents of force caused by the teacher's voice may be followed by some control of the white flashes, but each minute a stronger stimulus is needed to control and guide the brain centres which, more and more, begin to act irregularly and spontaneously as the red tint lessens ; in the body we see restless spontaneous movements. Half-an-hour's play, and a glass of milk with a biscuit, soon remove all the blue colour from the brain, which again is red and white, as during the game before lessons.

Such a sketch may possibly help your imagination, and may aid my attempts in some future descriptions of the child we study.

Leaving our imaginary view of the brain, let us turn to the practical observation of the child as we may see him. It has been clearly indicated that the principal points to which we must direct our attention are the *movements* of the child, and their results.

Movements may conveniently be divided into two classes, those which we observe as directly following stimulation, acting on the child from without; and movements called spontaneous, which are not so clearly the direct result of stimulation of his organs of sense, but appear to be the outcome of brain nutrition. Movements following sight and sound belong to the former class. Typical examples of movements stimulated by impressions received from outside the body are seen in what the physiologist calls reflex actions. When the eyeball is touched, a stimulus is sent to a nerve-centre, with the result that a nerve-current is quickly sent back from the nerve-cells to the muscles closing the eyelids.

Spontaneous movements are seen in a marked degree in the young infant. Observe a healthy, well-nourished infant, say seven months old, unfettered by clothes, on his mother's knees. He is full of movement while awake,—the arms, fingers, and toes are constantly moved, apparently spontaneously, or without stimulation from without; movements, apparently irregular and effecting in themselves no apparent purpose directly useful to the child, are almost constant in all the parts of the body. Spontaneous movements may likewise be seen in all young animals; and it has been shown that in seedling plants the little root, the seedling leaves, and all young growing parts are constantly moving,* Such is the universal method of Nature in young and growing creatures. We shall describe some spontaneous movements in children as signs of fatigue and other states in Lecture V.

We said that two circumstances were necessary in

* See C. Darwin on "Movements of Plants."

order that a nerve-centre may produce action of the muscles, and movement,—it must be nourished by good blood, and it must receive some stimulus. This gives us the clue as to how we ~~must act~~ upon the brain of the child; there ~~are two~~ ways, by feeding it and by *stimulating it through the organs of sense*. Brains do ~~not~~ grow by feeding only, they must be impressed or stimulated from without, hence the importance of good education as an aid to brain development. Let me make an arbitrary statement without giving my reasons here. Feeding the child often lessens spontaneous movements when they are in excess, fresh air may have a similar effect; various modes of stimulating a child through the eye and ear may control spontaneous movements, but these must be used with due caution. Do not stop a child's movements unless you know why you do so. You should no more wantonly arrest a child's movements without due cause, than throw a stone at an animal without cause, or destroy a flower because you do not see any use in it. This should be known to those who confine the hands and feet of little infants under bulky and cumbersome clothes. Children should have their hands free, and not carry bags and books, and should not be compelled to stand in class with their hands behind them.

In observing movements as signs of brain action, and in describing them, it is most important to note the parts moving. Movements may be seen principally in the digits, more in these small parts than in larger parts, such as the elbow and shoulder; they may be seen principally in the muscles about the mouth, or in certain other parts about the face. In any case, the movement of a part corresponds to action

in a certain group of nerve-cells corresponding. Remember this physiological fact, it is the basis of much that is important in the management of children. One series of movements long continued means long-continued action of one portion of brain; change the action of the child, and you thereby change the portion of brain acting, thus you may help to avoid fatigue and exhaustion. Speaking again in the language of imagination, when the brain shows much redness, you may safely try to raise the ~~white~~ and the blue; when there is ~~much blue~~ and white with but ~~feeble red tint~~, try and change the kind of action of brain as well as the special parts acting or discharging force.

I spoke just now of movements of small parts of the body in contrast to movements of large parts; the fine movements of small parts more directly indicate brain action: these should not only be carefully described by the observer, but also cultivated by the teacher, as in paper cutting, folding, and similar occupations. I think the same kind of brain culture may be given by calisthenic exercises, which should be arranged not only to strengthen large muscles, but also to develop slight and independent movements of small parts of the body, and the ready action of small portions of brain.

I now ask your attention to a series of signs of the nerve-system in children which is probably new to you,—that is, the study of postures or attitudes of the body and limbs. Such signs will, I think, be most useful to you, as they have been to me, and with a little practice they are easily observed and recorded.

When the hand is held out, the posture or attitude

seen is brought about by the last movements that occurred in the parts of the hand. Postures are, so to speak, stationary results of movement; the posture is the outcome of the balance of the muscles which produce it, and this is the outcome of the balance or ratio of action in the nerve-centres which stimulate the muscles to contract. Without going into theoretical matters, let me say that postures of the parts of the body are important signs of the brain state at the time. The postures you see are most commonly due to, and are signs of, the condition of the nerve-system.

When I began to make the expression of conditions of the brain a definite study, I frequently looked at my patients, especially the children, after I had found out what their condition was, and I noted down any visible expression of their nerve condition. My attention was soon attracted to the frequent occurrence of certain postures of the body indicative of conditions of the nerve-system. It is often more easy to describe postures than to describe movements: postures are conditions of quiescence, they can be watched during a space of time, they can be drawn, photographed, or represented by casts in plaster; movements are evanescent.

To study postures as signs of the mental brain state of the child, look at his parts and members when free or disengaged. To observe the hand for this purpose it should not be engaged in holding a pen, but be free that all the fingers may move as the brain will move them; that the brain state, not the pen, may govern the *posture of the hand*. The hand of a labourer* is *seen engaged* in digging with his spade; his nerve

* See "Physical Expression," p. 144.

muscular energy is expended in holding and driving his spade. It would, under such circumstances, require a very strong nerve-current sent to those muscles to alter this forcible brain stimulus. Hence, the hand while engaged in digging is not very impressionable, and expressive of the finer motor actions of the nerve-mechanism. When the man puts aside his spade, and talks, especially if at rest, his hand gesticulates and expresses his emotions. The hand may be said to be free when it is held out at the word of command, when hanging over the arm of a chair, or when it is moving towards an object.

The face may usually be considered free to be acted on only by the brain, except when eating. When a strong cold wind blows on the face it is too strongly stimulated thereby to be very impressionable to force originating in the brain. The eyes are free when not strongly stimulated by the sight of some object, or bright light or colour.

We have now considered three different classes of signs indicating the condition of the child: the form and proportions of the body and its parts; the postures or attitudes; and the movements of parts. Of these, movements are the most important signs, though the most difficult to record on account of their temporary character.

Finally, let me direct your attention to the importance of observing symmetry or asymmetry of postures and movements; we shall see some examples in the next chapter. Equal power and equal action of the two sides of the brain usually mean a higher *condition of strength* than asymmetry.

LECTURE III.

THE ARM, THE HAND, AND THE SPINE.

WE shall now consider the signs of brain action that may be observed in the body, commencing with the upper extremity, and we must enter into many details illustrating the principles of study given in the first two lectures.

The upper extremity is composed of parts which have been described. It is in a very direct manner under the control and guidance of the brain. The nerve-centres which produce its movements are very easily stimulated by the currents passing up from the eye and the ear. Postures and movements of the hand are very expressive of the condition and action of the brain, and of its mental function. The hand may be an index of the condition and action of mind.

When we wish to examine a child as to the condition of his nerve-system, we may request the child to stand up, and hold out his hands with the palms down, spreading the fingers. It may be necessary to explain to him first what the palm of the hand means. It is desirable that you should use the same word of command, the same stimulus to action, on all occasions. This action of the child is convenient, *having the arms and hands free, and ready for your*

observation and description. It is desirable that the upper extremities, when thus under observation, should be free and unoccupied; they must not be engaged in doing anything. If I hold this lump of chalk in my hand, it is not free to express the condition of the brain. Clasping the hand on the chalk is partly a reflex act following the pressure of the chalk; only in part is it due to the direct action of the brain upon the muscles of the limb.

If you see the hand of the child thus occupied, and you wish to observe it as a sign of brain condition, either cause the hand to drop what it holds, or wait and watch for the favourable opportunity for your observations when the spontaneous action of the child shall set the hand free. The hand may be free when passing to reach an object, not so when it has seized it; it may be free when hanging over the arm of a chair, less so when resting on the table.

In observing a child I would say to him, "Put out your hands with the palms downwards, and spread the fingers." The movements and balance of action in the parts of the arm can thus be seen under favourable circumstances. A strong and healthy child, say of five years old and upwards, will hold out his hands fairly straight with the arm and shoulder; the limbs may not be held quite at the same level, the left is often a little weaker and is held a little lower than the right. The typical sign of strength is that the hand be straight extended, as in Fig. 1, the fingers straight with the metacarpal bones, and the forearm and shoulder; the palm of the hand, or metacarpus, straight, not contracted laterally, as in the feeble hand (see Fig. 2); all parts are in the same horizontal

plane. A slight deviation from this rather stiff and exactly balanced position is not to be considered necessarily a departure from health; however, the posture above described is the standard of the normal, and indicates a robust, well-balanced nerve-system.



FIG. 1.—STRAIGHT HAND.




FIG. 2.—FEEBLE HAND.

Looking at a body of children, say in the third or fourth standard of a primary school, you will see, perhaps, 10 per cent. of the children who do not *present this perfect balance and typical posture.* The

appearance of certain deviations from this standard of the normal, mark the child to me at once as probably nervous, excitable, or exhausted. The observation of certain groups of signs tells us something of the character or kind of child, and his tendencies. It may be a matter of interest and importance to those responsible for children to look at them, study them, and observe the presence of signs which indicate their present condition and probable tendencies in future development.

We are going to speak of what you may observe in looking at the hand, the arm, and the spine, and we shall say something as to the significance of such signs. In thus trying to give you such knowledge I must warn you not to be too dogmatical or rash in expressing an opinion upon a few signs only, especially as I must here give them in empirical form—their fuller meaning you must look for elsewhere.*

Among a large body of young children we may see many presenting awkward attitudes far departing from the normal type of strength; the form and proportions of the body may also be defective in the same children. These unusual attitudes are due to want of balance in the action of parts, a state of growth often accompanied by a want of due proportions in the growth of the parts of the body; nervous weakly children are often too tall and thin.

It may possibly add some interest to our work if I explain how my attention became distinctly directed to the study of postures as signs of brain conditions. Having during some years given special study to the conditions of the nerve-system in children, I began to

* See "Anatomy of Movement."

note the various postures presented by children brought for examination at the Children's Hospital, and from 1878 I kept notes of the spontaneous postures observed. The children were requested to hold out their hands, and the passive condition or posture of the hand was noted. At first it was difficult to describe the posture seen in precise language, though some were seen to be characteristic of certain nerve conditions. In 1879, while visiting Florence, it struck me that the posture of the hands of the Venus




FIG. 3.—NERVOUS HAND.

de Medici was exactly similar to the posture I had so often seen in nervous children. Later, at the British Museum, I saw the English Venus side by side with the Diana, feminine coyness and nervousness represented side by side with the expression of energy and strength, and the contrast of the hand postures showed them to be in direct antithesis. While looking at the marble hands it became easy to describe their postures in precise language. In the hands of the nervous woman, the wrist is slightly flexed or bent, the *knuckles* are moderately extended back beyond the

straight line, the finger joints being slightly bent. The thumb is extended backwards, and somewhat drawn away from the fingers. This posture I have called the "nervous hand"; it is that so commonly seen in weak, excitable, nervous children, such as are hot-tempered but affectionate, tooth-grinders, and very liable to recurrent headaches. Here is the cast of a hand carved by Canova, an art-model of beautiful workmanship. This hand represents exactly the nervous posture. Art often presents us with the expression of weakness in place of strength, beauty in place of perfectness.

In the Diana of the British Museum we see the figure of a strong energetic woman. Our common



FIG. 4.—ENERGETIC HAND.

experience tells us that it is such. Her right hand is lifted, and is engaged in holding a spear or dart which she is about to hurl; this hand is therefore not available as a sign indicating the mental condition. The left hand, however, hangs down, and is free or unoccupied, and by its posture affords us evidence of the active or mentally energetic condition of the brain.

The balance of the parts of the body indicates to us the balance of the action of the nerve-centres. This is the posture termed "the energetic hand" (Fig. 4).

The wrist is extended backward, the fingers and thumb are flexed.

If we compare this energetic hand with the hand in the nervous posture, we see the former to be the direct antithesis of the latter. In the weak woman the hand is flexed at the wrist, the digits being extended at the knuckles; in the strong woman the wrist is extended backwards and the digits are flexed. This is an example of one posture being the antithesis or direct opposite of the other; Mr. C. Darwin made much use of the principle of antithesis in his work on Expression.

We have described the straight extended hand as the normal type, and two postures as deviations therefrom: one the energetic hand, a perfectly normal and healthful condition; the other the nervous hand, which indicates weakness and excitability. An example of the energetic hand in real life may often be seen in the attitude of little children, say between three and four years old: you call them to come to you, and show them something they like; they run with arms stretched out and hands in the energetic posture, the wrist extended and the fingers slightly flexed.

An incident which happened the other day may serve to illustrate the value of studying postures, as signs of the nerve-condition. I was asked to observe some young people, and noticed three in whom the hands, when held out free, showed the wrists flexed with the knuckle-joints extended backwards. I immediately pointed out to the teacher that they showed

some signs of nerve-muscular excitability ; the correctness of this opinion I was afterwards able to confirm.

One of the first departures from the signs of perfect strength is the posture we are about to describe under the name of the straight hand with the thumb




FIG. 5.—STRAIGHT HAND, WITH THUMB DROOPED.

drooped. This may commonly be observed in conditions of health when fatigue or slight weakness occurs. It is similar to the straight hand, but the thumb, with its metacarpal bone, falls slightly, thus approximating the latter towards the palm. I was once able to point out this sign to the head master of a large school. I had looked over the lower classes of the school without noticing any unusual signs among the boys. When, however, we came to the first class, and these boys held out their hands, I observed that every boy, with two exceptions, held the hands straight, with the thumbs drooped. This class had recently been engaged in their annual examinations.

If you notice people's hands you will often see that early in the morning the hand is held quite straight ; while in the latter part of the day, the thumb tends to droop. In such cases, food, and a little rest, will usually restore the normal posture, and this, the first sign of fatigue, will pass away. This posture is, in fact, the

first stage towards the feeble hand which we shall soon describe.

Here is a cast which shows the natural position of the free hand when at rest, as it may be seen hanging over the side of a chair, or lying in the lap. The hand in rest is a natural position, with slight flexion of the wrist and fingers, and slight arching of the metacarpus or palm of the hand. It is also




FIG. 6.—HAND IN REST.

common in slight fatigue without exhaustion, and may be seen in healthy sleep, when no energizing nerve-currents are passing from the brain to the muscles. If you are in doubt as to whether a child is asleep, raise the arm by the wristband and let the hand free; if the child be asleep, the hand will assume the posture of rest.

The “feeble hand”* is an exaggerated form of the “hand in rest.” The degree of flexion of all parts is greater, and the metacarpus is much arched or contracted. This is seen in conditions of exhaustion.

Two typical postures of the hand still remain to be described. The “hand in fright” is a posture not

* See p. 32.

often seen, it is a modification of the energetic hand, the wrist and fingers being all extended. It is well




FIG. 7.—HAND IN FRIGHT.




FIG. 8.—CONVULSIVE HAND.

represented in the statue of "Cain" and in several members of the "Niobe Group" at Florence.

Here I have a cast of the hand of a child who was in a convulsion, and the typical posture is called the "convulsive hand" (Fig. 8). The thumb is strongly flexed on the palm of the hand, while the fingers are flexed over it, thus forming a closed fist, while the metacarpus is arched or contracted by bringing its sides together. This position is never normal, but in a few cases may occur as a simple matter of habit. A convulsive hand may be seen in a child in passion, and it sometimes occurs during a strong effort of self-control, and I have often seen it in people when about to have a tooth drawn.

These eight types of hand postures will help you to describe what you see, but various deviations from these types will often occur.

While observing a child you may describe his postures and his movements; in speaking of the latter, the part moved and the direction of its movement must be noted. When the child stands up and holds out his hands, it is well to get both a full face and a profile view; there may be slight movements in the fingers. We have already spoken of the incessant and spontaneous movements of the infant, and these to some extent continue during the early years of life. The finger movements may be in two directions—they may be in flexion and extension, or they may be lateral; these latter are the most important as indicating irritability of brain. The flexor-extensor movements can be seen in the full-face or in the profile view; the lateral movements of fingers are best seen when in front of the child. In looking at movements of the digits, note whether the separate parts *move together* or not, the constant repetition of one

series of movements is often very senseless. In nervous twitching it is more common to see one or two fingers only moving.

In looking at the upper limb as an index of the brain we may observe postures and movements; practice in observing these will teach you much as to the nerve-system of children. It is my work to point out what you should look for, to define certain typical conditions, and explain their meaning in some slight degree, but you can learn much more than this by practice and observation.

You must observe many children of various ages, under varying circumstances, to form an idea for yourselves as to what amount of movement is indicative of health. This you must study for yourselves, just as you would try to learn how much mental work a child is capable of. Observe and study these points; in these matters there is no rule, except that derived from personal observation. Looking at the arms of the child, observe the hands, wrists, elbows, shoulders on either side; look not only to the postures, but also to the movements. Postures and movements may be alike on either side, or they may be asymmetrical; you will find it not uncommon to have several signs of weakness on the same side of the body. When the two sides of the body do not move alike, it is commonly due to the diminished force or energy of brain, as seen in a tired child who leans on a table or chair.

Asymmetry of the postures of the body is usually accompanied by a slight tendency to lateral curvature of the spine. Postures of the spine are well worthy of study; as I have shown you, the spine is a column composed of many small bones, and is capable of

being bent in various directions. Lateral curvature of the spine may be suspected if a child, when at work, constantly bends to one side, making one shoulder higher than the other. This may be due to weakness, and may be accompanied by finger twitching, and weak hand-postures unequal on the two sides. Stooping, or lateral bending of the spine, may be due to short sight or other eye defects, which should be looked for in such cases. When you notice a child bending over his work, get the test-type and examine him for short sight.

There are forms of weakness and fatigue indicated by weakness of the muscles of the spine. Take a weakly child of seven years old; let him stand with heels together, head up, and hands by his side. Observe the child in profile, so as to get a view of the curves of the spine; let him hold out his hands in front, and notice, as he does so, that the shoulders are thrown backwards, and the spine becomes more arched forward in the loins. Such alteration of the outline of the back is in excess in the weak child, as compared in one that is strong.

If the muscles which support the head and spine are not strongly energized, the head falls forward, and the spine becomes arched backwards; such conditions are best seen in the profile view, and give an appearance indicating powerlessness. Watch a man go to sleep in a chair; as the brain sends out less nerve force, the muscles of the spine become relaxed, the head falls forward on the chest, and the back bends.

LECTURE IV.

THE HEAD, THE FACE, AND THE EYES.

THE head and face are parts of the body peculiarly characteristic of man, and here we see the greatest number of those signs which indicate to us the make of the individual and his condition. The head and face are also easily observed, and very interesting to study.

When studying expression in the head, as in other parts of the body, we must look to the conditions of its development, and also to its movements, and the postures which result from those movements. The title of Sir Charles Bell's first essay* is, "Of the Permanent Form of the Head and Face, in Contradistinction to Expression." He goes on to say, "A face may be beautiful in sleep, and a statue without expression may be highly beautiful; on the other hand, expression may give charm to a face the most ordinary. Hence it appears that our inquiry divides itself into the permanent form of the head and face, and the motion of the features, or the expression." Bell uses the term "expression" as confined to mobile modes of expression, and carefully distinguishes between them and conditions of development indicated by form.

* Op. cit. p. 20.

It is convenient, for the purposes of description, to speak of three kinds of movement of the head ; *flexion* and *extension, i.e.*, bending forward and backwards, as in nodding ; *rotation* in a horizontal plane, the head remaining erect but the face turning to the right or the left side ; *inclination, i.e.*, lowering one or other side of the head, so that the two ears are not on the same level, and the eyes not in the same horizontal plane—inclination is said to be towards that side on which the ear is lowest. The only symmetrical movements of the head are those of nodding and bending back the head. In a strong and healthy child the head is held erect, unless something changes its posture. A slight sound may cause rotation of the head ; a slight condition of weakness of the nerve-centres is indicated by drooping of the head.

If a child is seated at table, properly hungry, bringing a plate of food towards him will, as soon as the plate comes within his view, cause rotation of his head towards the plate, and the food will be said to have attracted his attention. If, however, the child is in a very irritable, cross, peevish state of mind (brain), rotation of the head may occur away from the plate of food, it may be repelled by it, not attracted.

The lower jaw is the only part of the skull that can move separately from the rest ; this bone is jointed on to the skull, it is depressed when the teeth are separated, and brought up again by the muscles when the mouth is closed ; the jaw can be moved both up and down, as well as laterally in mastication. The muscles which move the lower jaw are called the muscles of mastication ; they are not supplied by the nerves *which* send motor power to the muscles of the

face, but by a pair of nerves called the fifth nerves of the brain ; this same pair of nerves has fibres which pass to its nerve-centre from all parts outside the head and face, and also from the membranes which cover the brain. Please remember that the nerve which moves the teeth is stimulated by impression on any part of the head, and also by the state of the membranes of the brain. This is the nerve which produces tooth-grinding in children. Tooth-grinding is very common at night, less common in the day ; when it has often occurred, it leaves a flattened appearance of the tips of some of the teeth, and is a sign of irritability of brain in children. If I find such ground teeth, and am told that the child sleeps quietly and always well, I suspect it is the nurse who sleeps soundly, not the child.

A much worse sign with regard to movements of the jaw is when a child bites its playfellows ; this is a very grave condition, and the meaning of it should always be inquired into, as it often indicates a very defective condition of the brain. Let me here remind you how frequently young puppies and kittens bite and gnaw, to our great inconvenience.

The head itself may have various positions or postures with regard to the trunk ; these have been described and named when speaking of the movements of the head. The posture, or balance of the head, may indicate the brain condition.

The simplest postures of the head are those called flexion and extension ; they involve equal action of both sides of the brain. The weight of the head makes it fall forward if the muscles do not hold it up ; hence, as fatigue comes, and passes on to sleep, the

head may fall more and more forward till it is bowed on the breast. This bowed position of the head indicates something about the condition of the brain, but the posture is not solely caused by the brain action. Do not let children, when writing, bend much over their desks—the face should be as nearly vertical as may be, and as far as possible removed from the horizontal. You may notice the drooped head and the stooping and spiritless gait of a tired man, as compared with that of the same individual when rested and refreshed. The head is seen firmly upright in defiance, drooping in shame, and held on one side in nervous girls.

We have spoken of certain postures of the hand as being the opposite or antithesis of one another, and as representing opposite states of the nerve-system. We saw that the “nervous hand” was a posture the very opposite of that called “the energetic hand,” and that these postures represent very different brain states; so with regard to the head, flexion or drooping indicates conditions the opposite of those expressed by extension or throwing backwards of the head.

I have shown you that sight and sound may cause rotation of the head; extension, or bending up of the head, often occurs apparently from other causes—in some states of emotion and excitement the head is seen to become extended, as when a child is excited by “æsthetic feeling.” The observation of movements and postures of the head, in association with other signs, often gives much information.

Let me tell you of some conditions of brain disease *in which the head* is drawn backwards. This is *commonly* seen in cases of inflammation of the brain;

also in infants during the brain irritation due to teething, when it may be accompanied by the convulsive posture of the hands, and precede an attack of convulsions. Now as to this posture of the head in healthy people: I have stood near a much-admired picture, and watched a crowd of visitors coming to look at it; in some the sight of such picture is followed by extension of the head, accompanied by upturning of the eyes to such a degree as to remove the picture from their field of vision. I cannot see the mind or feeling, but can see the extension of the head.

A considerable degree of extension of the head may sometimes be seen in children. I have seen it in a girl when repeating poetry, and it seemed to me to indicate an amount of excitement that should not be prolonged or often allowed. This posture is used in art to indicate intense admiration and ecstatic feeling; it is presented in some paintings of S. Cecilia.

Let me describe a posture of the head indicating weakness of the nerve-system; you may see the head partially bent or flexed, and rotated and slightly inclined to the same side—this is common in weak children, the head bends away from the weakest side.

We have spoken of the physiognomy of the head, and good and low-class types; we now proceed to describe the face and the features as an index of brain, telling you how it is working.

The face is that part which lies in front of the skull. If you could remove the skin of the face, and then the fat that lies beneath it, you would see the muscles passing in various directions. There is a circular muscle surrounding each of the openings of the face, *such muscle*, when contracting, closes the eyelids, or the

mouth, as the case may be ; there are other muscles which can open the eyelids, and widen the mouth. The muscles of the face are supplied with nerve-currents from the brain by a nerve called the facial.

Two pairs of muscles seen in the face are concerned in mastication, rather than in expression—these are called the masseters, they are situated about the angle of the jaw on either side ; and the temporals, which are placed at the side of the head, in those parts called the temples. If you strongly clench your teeth you will feel these muscles become hard as they contract and swell out. A schoolmaster knows these muscles, and when he sees them at work knows that the boy is eating, without asking the question. These muscles of mastication are supplied with nerve-currents from the brain by the fifth pair of nerves which we spoke of before.

All these structures which make up what is called the face are supplied with blood-vessels, and the quantity of blood in them is also under brain control through a nerve called the sympathetic. When much blood rushes to the face the child is said to blush, when the sympathetic nerve allows but little blood to pass into it the face is pale ; this mobile colour of the face is very expressive.

When we look at a human face we may observe its form, colour, and conditions of mobility. The general form and outline of the face is largely determined by the shape of the skull beneath. Either side of the face can move separately ; hence the necessity of observing whether a facial expression is symmetrical.

To examine a face in detail, hold a sheet of paper in *front of it*, with one edge vertical and opposite the

middle of the face ; either half of the face can then be covered in turn, while the other half is examined.

Again, the face may be divided into three zones, or horizontal areas—the upper, middle, and lower. To observe each in turn, hold the sheet of paper with one margin horizontal, leaving the forehead above the eyebrows uncovered,—this shows the upper zone ; next view only that part of the face which is below the lower margin of the orbits, or sockets for the eyes, showing the mouth, the greater part of the cheeks, and the openings of the nose,—this is the lower zone. Lastly, the middle zone may be demonstrated alone by holding the horizontal margin of one sheet of paper so as to cover all above the eyebrows, and another sheet so as to cover all below the orbits, thus leaving to view the eyebrows, the eyelids and eyeballs with the bridge of the nose. By these methods you may readily examine the symmetry of a face, both as regards form and action, and you may also define the particular zone in which any mode of expression is seen.

There are some special movements in each of the facial zones worthy of notice. In the upper or frontal zone the movements are almost always symmetrical or equal on both sides ; they may produce horizontal furrows, or vertical furrows with a drawing of the eyebrows together—the former is a movement not of an intellectual kind, the latter is often highly expressive of mental action.

In the middle zone the opening of the eyelids is usually equal on either side ; we shall find that in this region we may have marked indications of exhaustion of brain action.

The parts in the lower zone about the mouth move

in eating and in speaking. The mouth can be widened, its angles may be drawn upwards or downwards, and the upper lip may be raised at a point a little within the angle so as to uncover the canine tooth as in sneezing. Widening of the mouth is seen in laughter when the angles are drawn somewhat upwards, so also to a less degree in smiling. The circular muscle of the mouth contracts in closing the lips, and its action is excessive in pouting.

Examine a face showing signs of "mental anxiety." Making a physical examination of the expression by the methods suggested, we find it equal and similar on either side—therefore the expression is symmetrical. We see the signs of anxiety more when observing the upper zone, than when looking at the middle and lower parts of the face—hence the expression is symmetrical, and principally located in the forehead, or upper zone.

The expression of mental anxiety may be contrasted with that of bodily suffering. Mental anxiety is expressed mainly in the upper zone of the face, by vertical furrows. In the facial expression of pain originating in the limbs or body, we see the signs mainly in the lower zone, the angles of the mouth being drawn down. In the face of a mother who has just lost her child, the mother's pain is shown by depression of the angles of the mouth; some years after the loss, when memory has idealized the child, reference to the sorrow causes the expression of mental pain in the forehead.

I have often seen a fixed expression of mental anxiety in young children, and when questioning the *parents* showed no apparent cause, have in many cases

gained the child's confidence and drawn out its story of "terrors in darkness," visions, or mental trouble, which the little child would not before speak of because it was not understood.

I know of only three forms of facial expression that are not symmetrical—snarling, winking, and one-sided grinning; certainly these asymmetrical expressions are neither intellectual nor beautiful. It is not uncommon to see awkward, silly movements in the faces of children, such as frequent frowning, and grinning on one or on both sides; such habits are not intellectual, and should be checked, if possible, in early life. They often depend upon causes which can be removed.

Fatigue and exhaustion are indicated in the face by a relaxed, toneless condition of the muscles, and too little mobility or change of expression, the play of the features is lost, and the face falls or elongates slightly. A special sign of exhaustion is seen in those who have suffered habitually from recurrent headaches. It is not uncommon to observe that a child looks as if he had a headache. Analyzing such faces you may soon observe a look of depression, heaviness, fulness about the eyes, especially about the under eyelids; this sign is usually bilateral, and is due to a relaxed condition of the muscle (orbicularis) which surrounds the eyelids. If the patient can be made to laugh, the muscle becomes energized, and the expression of headache is lost for the moment. This sign is often best seen in the profile view.

If strong and unequal nerve-currents are sent to opposing muscles, a quivering or tremor of the part moved by the muscles may result. Such action is often seen about the muscles of the mouth under the

influence of "conflicting emotions." Suppose a child has hurt his finger, but is trying hard not to cry, we shall see the muscles of the mouth quiver, until finally the effect of the injury to the finger acting upon the nerve-centres becomes the stronger force, the angles of the mouth are depressed, and the outbreak of sobbing follows.

The signs of the action of mind are seen in the face. Let me tell you a true story which illustrates this and some other things. An English merchant in China had lent a Chinaman money to trade with; a sudden outbreak among the native population drove all Europeans from the settlement, and none of their property could be saved. Three days later this Chinaman came to the merchant, who had fled like the rest, and brought him his money in full. When asked why he had acted thus, knowing that the money could not be recovered from him by force, he replied "My no can spoil face." He would not have his face, the index to the action of mind, marked with the expression of dishonest thoughts and actions.

This story illustrates physiological fact; another use may be made of such knowledge in dealing with children. If by any means you can remove a bad expression from the face, you help to remove a bad condition or bad thoughts from the brain. Skilled actors know when they have brought the right expression to their face by the accompanying feeling, be it of anger or merriment. Do not let children play at making bad faces; when the face does not look right try and change the brain condition; a good hearty laugh is often most useful in this way to the face, the *mind*, and the brain.

Looking at different types of faces, we are at once struck with the fact that the passive appearance of some expresses intellectuality, while others are marked by inborn vulgarity, apart from any special mobile expression. Elements contributing to the low vulgar type are a narrow and receding forehead, a large prominent under-jaw, thick lips, and a thick immobile make of skin. Such signs are, however, empirical, and not to be trusted too far.

The condition of the nutrition of the tissues of the face is an important index to the general nutrition of the body and its different organs. A slight amount of malnutrition makes the face look dull; this may be due to too little blood circulating, or to partial absorption of fat from under the skin.

When we look at the face of an adult we see its inborn form; the signs of its present nutrition; the marks of all the mobile expression that has passed over it during the preceding years, and its present mobile condition as produced by the brain.

The eyes are considered among the most important features of the face. In conversational language, which is not always quite precise, the term "eye," as a feature of the face, is used somewhat loosely; but it is necessary, in our methods of study, to distinguish carefully between expression seen in the eyeball, and expression in the parts that surround the eyeball—the eyelids, the eyebrow, etc. The eyeballs lie in their sockets, the orbits of the skull, resting among the fatty tissue which supports them. If that fat be diminished in quantity, the eyeball sinks farther into the orbit; if the fat becomes congested and swollen up, it protrudes the eyeball somewhat. The movements of the eyeball

are effected by small muscles attached to the eye and arising from the wall of the orbit ; these small muscles are supplied by three different pairs of brain-nerves. The iris, or coloured portion of the eye, is a muscular curtain, with an aperture in its centre called the pupil, which may enlarge or contract. Light causes the pupil to contract ; the pupil also contracts when the eye is looking at near objects, dilating when looking into the distance.

The two eyes move together, so that when one turns to the right so does the other, or when one eye turns upwards they both turn up equally. In looking at near objects, say at ten inches from the face, the eyes turn slightly but equally towards one another.

Movements of the eyes are not equally common in all directions, more movements are horizontal than vertical ; in turning the eyes to the right or left there is no necessary movement of the eyelids ; the eyes turn towards objects, their muscles being stimulated by brain-currents which are generated by the sight of objects around. In observing movements of the eyes, notice whether they are obviously guided by the sight or sound of objects around, or whether it be not so. Movements of the eyes not controlled as to their number and direction by obvious circumstances, must be looked upon as signs of nervousness. Irregular movements of the eyes are common in children, and are very indicative of the brain condition ; they may be looked upon as analogous to spontaneous twitchings of the fingers.

In these wandering, irregular movements of the eyes we find an illustration of a common law, that *excessive movement* is often an indication of weak-

ness, not of strength ; the same thing is seen in the twitching movements of nervous children.

Movements of the eyes in the vertical direction are accompanied by movements of the upper eyelids, and very often the eyes and head move upwards together.

A few words must be said in conclusion about squinting in children. When you see the eyes not turned in the same direction this should at once attract your attention. A squint may be permanent, or it may come and go ; in any case advice is required for the child. Such conditions often lead to headaches and worse conditions, but these may be prevented by the early use of appropriate glasses.

LECTURE V.

SIGNS OF GENERAL CONDITIONS OF THE
BRAIN, AND EXPRESSION OF MIND.

THE most important condition of a child's brain is that indicated by the signs of consciousness. Let us see what can be learnt by direct observation of children who are in possession of consciousness as contrasted with those asleep. You will find that the movements accompanying and indicating consciousness are such as are stimulated by circumstances around, by speaking to the child, or showing him things. If speaking to a child is followed by his running to you, or doing what you tell him to do, he is conscious. On the other hand, if you stand by his bedside while he is sound asleep and unconscious, you see general absence of all movements except those of breathing; speaking to him in a low voice, or putting pictures in front of him, does not make him move or speak. There may be some spontaneous movements of his limbs, but they are not controlled by things around, they are the mere outcome of brain action, not of impressions produced upon it from without at the time of observation. In healthy sleep the tone of the circular muscle of the eyelids is sufficient to keep *them closed*, but sometimes in weak children the lids

are half open, showing a part of the white portion of the eye. We commonly say there may be different depths of sleep ; sleep may be full and complete, with loss of most forms of impressionability. Observation of a child during sleep does not necessarily give us evidence as to whether there be any impressionability or not ; it may be that the outcome or expression of impressions received is long delayed. Things said before a child apparently asleep may not produce any visible result at the time, but we may subsequently learn that he had been impressionable to sound at the time of observation, the child may repeat what had been said before him. Here we know the impressionability by its effects in subsequent speech.

Fatigue is indicated by the slight amount of force expended in movement, and by the small number of movements. In the latter character we see some distinction between fatigue and irritability, in which condition there is often an excess of movement, and in particular an excess of speech. Fatigue and irritability often coexist. The free hand assumes the "straight extended posture with the thumb drooped," or the posture of the feeble hand. The head is often in an asymmetrical posture and flexed. The direct effects of gravity determine the position of the body to a greater extent than in the condition of strength, hence the spine is bent. If this condition tends to pass on into sleep, this is expressed by the preponderance of the circular muscles over the elevator of the upper lid, and the other signs of sleep supervene.

Exhaustion is an extreme condition of fatigue in which movement is lessened. The face becomes toneless, and devoid of fine mobile expression, the circular

muscle of the eye is relaxed, the face may be lengthened from relaxation of its muscles and slight falling of the jaw ; the ordinary movements of expression are not excited by the ordinary stimuli, and such movements as do occur are slow and laboured. A strong stimulus is required to induce the child to hold out his hands, and then the posture is the feeble hand. Sighing and yawning are common. Speech is slow, and the tone of the voice is altered. In some cases finger twitching, especially of separate fingers, indicates extreme exhaustion and irritability.

Irritability is expressed in a child when a slight noise makes him start ; this is a reflex movement in excess, a reflex action that does not occur in perfect health on so slight a stimulus. In irritability other stimuli besides sound may produce excessive reflex action ; a touch upon the shoulder causes a sudden movement. Not only is the amount of reflex movement excessive and out of proportion to the stimulus, but the kind of movement may differ from those usually following such a stimulus in health. A child three years of age, when irritable, may turn away his head from a familiar object, or from the sight of his food, and say "no, no" ; here the sight of the object, instead of causing a reflex movement of head, eyes, and hands towards the object, moves all from it. The irritability of the nerve-centres is indicated by movements in the opposite direction from that which the same stimulus would produce in health. Besides these reflex signs we find the voice altered—when spoken to he may answer sharply ; the motor force generally is lessened and irregular in kind ; twitching, *irregular movements* are not uncommon. Nervous

children often show marked signs of irritability, the spontaneous postures assumed are those of fatigue, with the additions of slight irregular twitching movements. If this condition lasts long, nutrition is lowered and wasting occurs. Abnormal conditions in the body, **particularly** in the stomach, may render the child irritable, so may ~~fever or illness~~.

The *signs of nutrition* are of the highest importance and interest. The first point I wish to insist on is that nutrition may be expressed by (1) form or growth, and (2) by motion which is due to nutrition.

As evidence that motor signs, or movements and the results of movements, may express nutrition, let us examine a few examples.

(1.) In an ill-nourished infant spontaneous movement is much lessened, or the child may lie almost motionless instead of being constantly full of movement while awake. The return of spontaneous movement is a sign of the improved nutrition.

(2.) In a man after a severe illness, such as a fever, the tone of the voice is usually altered so that we can no longer recognize the individual by his voice; this motor sign, as well as the worn countenance, indicates the man's lowered nutrition. Returning health is shown by the patient "looking like himself," and "recovering his old voice."

(3.) In a child seven years old emaciation and ill-nutrition, indicated by loss of weight, may be accompanied by St. Vitus' dance or finger twitching, which disappears when weight increases and nutrition is improved.

(4.) A strong well-nourished man is less fidgety than a weak one.

Now as to the expression of nutrition by form and growth. Proportions of growth often indicate conditions of nutrition.

A seedling pea-plant, if kept in a room with deficient light, is not well-nourished, and the ill-nutrition is indicated by the small yellow leaves, and the long white stem. That good nutrition has not occurred during the life of the plant is demonstrated by the fact that the plant, when dry, weighs less than the seed from which it grew. Here ill-nutrition is expressed by the relative growth of leaves and stem—the leaves being very small, the stem very long. In children we often see growth for a time occur in height without lateral development, then the proportions of growth change, and the child fattens.

Rest is probably a condition of nutrition leading to the signs of recreation indicated by subsequent activity. The most essential element in the expression of the condition rest, is the subsequent activity. During rest there is still impressionability, which affords a distinguishing character between simple rest and sleep; arising out of this we have the fact that in rest uncomplicated by sleep the eyelids usually remain open.

One of the special characters of rest is the absence of movement, although impressionability is retained. Rest is usually preceded by fatigue, and it is followed by activity, the sequential signs of recreation and activity indicate that during the period in which movement was absent there was rest. Rest is expressed by the present signs of rest, followed by the signs of recreation and activity.

As a matter of interest it may be noted, that forces,

such as the sound of soothing music, may affect movements. Music may cause a man to keep quiet and rest.

In contradistinction to the state of rest we have activity. The condition of activity is indicated by actions, *i.e.*, movements. In activity with strength, the movements are probably fewer in number than in the state of irritability, and the kinds of movement differ in the two conditions.

One sign of healthy activity is a quick response of movement upon stimulation—for example, the movement follows quickly upon the sight of an object, or on hearing a sound. If such movements are looked upon as reflex-actions, the quick and ready answer is a reflex series of movements where the period of latency is short, this of course implies also that impressionability is good.

What good, what advantage, is there in these special modes of describing what we see? Our modes of description are such as allow of comparisons being made. We translate abstract quantities, such as "joy," into concrete terms, such as movements or conditions of form or development. We translate the terms used to describe the abstract property, into other terms the expression of the abstract. The term "happiness" is intended to indicate a certain condition of feeling which we all more or less understand. The thing happiness is an abstraction; but if we can define an expression of happiness in man, we can deal with the material expression of happiness, analyze and study it.

Having these descriptions before us, we can make some comparisons, or analogies. In laughter, which

is an expression of joy, or happiness, the angles of the mouth are drawn upwards ; this is the very opposite to the expression of physical suffering. By defining the expression of the abstract thing happiness in terms of motor signs, we find problems to deal with, capable of physical investigation.

The most interesting signs of brain conditions are those which indicate to us the action of mind. One method of determining the signs of mind is to compare subjects possessed of mind, with others devoid of mind, or nearly so. It will be granted that an infant at birth does not show well-marked signs of mind. The principal signs of mind are absent. An infant at birth may be said to possess none of the actual faculties of mind, although it is healthy ; it may possess potentialities, but it shows no actual present signs of mind. An idiot, in growing up from infancy, does not show those signs appropriate to his age, which indicate the functions of mind. The infant is said not to show actual signs of mind, though it may show potentialities ; the infant at birth does not walk, talk, or turn its eyes and head towards a bright object within its field of vision—its movements are not modified in any marked degree by the action of light or sound, except that the eyelids contract spasmodically to light. The infant is, in some respects, less impressionable, and the impressions are less permanent than in the adult.

The signs of its brain development are identical with the signs of its mental development ; we may proceed to recount them.

The healthy infant at birth weighs between 6 and 10 *lbs.* ; *its limbs and members are complete in all parts—*

fingers, toes, nails, &c. ; the head measures in circumference 11 to 12 inches ; the junctions of the bones of the vault of the skull are not closed or ossified, and the anterior fontanelle is open. We may also observe the form, size, and proportions of the body, and particularly of the head, as signs which indicate to some extent the degree and condition of brain development. Respiratory movements in the infant are established at birth, and continue without interruption ; the child cries when its skin is cold or wet, and when the stomach has been empty more than two hours.

An object placed in the mouth stimulates the movements of sucking ; cold to the skin is followed by crying ; light causes closure of the eyelids ; and if the eyelids are raised, the pupil contracts to light.

Frequent spontaneous movements may be seen while the infant is awake ; movements, apparently irregular, are almost constant in the hands, fingers, and toes. A short period of wakefulness is usually followed by sleep, indicated by subsidence of movement in the limbs and closure of the eyelids. We say that the newborn infant does not give expression to the faculties of mind because it does not present signs showing that it is impressed, even temporarily, by the sight of surrounding objects, it does not move its hands towards objects within its field of vision, and no movements indicate that it is impressed thereby. Reflexes of sight and sound are almost entirely absent. The muscles of the face are seen to act earliest in the lower zone, those about the mouth causing expression before those on the forehead (corrugators), which seem to be specially connected with expression of mind.

Now as to the child when four months old, we say that the attention is easily attracted, because the sight of objects, and sounds, cause the head to be moved (by reflex action), towards the light or source of sound. More than this, after the stimulus of the sight of an object has caused the head and eyes to be turned towards the object, the further stimulation of the brain may arrest all movement ; this often happens when the attention is attracted. On the other hand, the sight of an object, after it has caused the head and eyes to be turned towards it, may increase the amount of movement in the child.

Playfulness is probably the result of spontaneous movements, together with an increased susceptibility to reflex action. The "playful child" has a happy face, owing to the healthy tone of the facial muscles, and their nerve-centres.

The following observation in a child eighteen months old illustrates how the dawning intellectuality is indicated by the complication and fitness of certain sets of movements. "The child having both hands full of toys, desired to grasp a third ; he then put the toy from one hand quickly between his knees, and thus set one hand free to take hold of the desired object."

The following kinds of movements as signs of a healthy infant brain deserve separate attention :— Movements following certain external agencies, light, sound. Movements the outcome of the essential (untrained) properties of the nerve-mechanism. Movements resulting from (training) the acquired association of nerve-centres. Movements similar to those previously occurring from a like cause, showing retentiveness. Movements in different areas, such as the small

joints in contrast with large joints ; or a different condition of movement of adjacent parts, such as the fingers. There may also be a symmetry of movements.

We may now give a description of a *nervous child* in terms of nerve-muscular action ; and ratios of growth. A typical case may be found among children who sleep badly, talk at night, grind their teeth, emaciate without disease of organs—such children are apt to be irritable and passionate, and to suffer from headaches and hacking cough without lung disease.

Let such a child stand up, and observe it.

As to its conditions of growth ; defects of proportional growth are commonly seen. The congenital form of the bones, the make of the skin, the form of the features may all be good. The height of the child in relation to circumference, or to its weight, is defective ; the child is too tall and too thin ; either fat or muscle may be defective in quantity. The emaciation may be unequally distributed, often it is less in the face than in the limbs and trunk.

Now as to the motor signs indicating the state of the nerve-system.

Let the hands be held out with the palms downwards, and the fingers separated. The left upper extremity is often at a lower level than the right ; “the nervous hand” is seen on either side, perhaps more marked on the left ; there may be finger twitching, separate digits moving in flexion and extension, or laterally in adductor and abductor movements. The spine is arched too forward in the loins, often with inequality in the level of the shoulders, and slight lateral curvature. The face, as a whole, is usually too immobile, although there may be some over-action of the muscles widening the

mouth, on one or on both sides. The tongue when protruded is too mobile. The eyes move mostly in the horizontal direction; their movements not being fully controlled by the sight and sounds of objects around, except under strong stimulation. The head is sometimes partially flexed, with inclination and slight rotation towards the same side.

Some of the teeth are usually found ground at their tips. This is most commonly the case with the canines; the grinding action is produced by the masticatory muscles during sleep, and is owing to irritation of the fifth pair of brain nerves;* we may here call to mind the fact that the sensory division of the fifth nerve is distributed to parts inside the skull as well as to those outside it.

Other examples might be given of defects in ratios of growth in the body coinciding with defects in the nerve system; such coincidences are very common in idiots.

* I have given an analysis of fifty-eight cases of the neurotic condition in children in a paper published in the "Brit. Med. Journal," Dec. 6, 1879.

LECTURE VI.

OBSERVATION OF CHILDREN AND EDUCATION.

IN the preceding lectures I have explained to you how children may be studied, and have put before you methods which you may employ without asking questions or entering into any medical details. If you look back over what was said in the early lectures you will find that we considered many signs of brain power in children, avoiding all questions of metaphysics. It seems to me very desirable, if not essential, to the proper study of children that we should judge by the signs which we observe, not by the answers to questions put to the child respecting its health. I seldom ask a child if he have headache, but often look for the signs of strength, or exhaustion, and the direct indications of headache. Such observations may be made by any one who is in personal contact with children, by the mother among her children, or the manager or teacher in the school. I was led to undertake these studies, and finally to put them before you, in the hope and belief that children may be benefited thereby through you.

The care of children and the improvement of methods of education concern us all alike, and through

many years I have had abundant evidence that there is great need for exact knowledge as to the condition of children in the home, and in the school. It is right that we should all learn to study children in a scientific manner, that we may know how best to aid their development in mind and body, and take our part in causing them to grow up as healthy, good, useful men and women. The care of children of all classes is a very responsible work, demanding intelligent and earnest care ; it is not enough for teachers to study methods of education and school practice, the subjects to be taught, and the methods of teaching them. Some knowledge of physiology is very useful, but it is a direct duty to *study the children themselves*, that we may know their individual tendencies, and that their ever varying condition may be at once perceived. We should see the signs of fatigue before exhaustion and irritability are obvious in imperfect lessons and bad behaviour ; hence the necessity for an intelligent and precise knowledge of children, enabling us to detect early the signs of failure of strength.

On going into a school to study and note the condition of the children, it is my custom first to observe each child while the lesson continues. If the light in the school-room be good, there is no difficulty in noting such points as the size, and general conformation of the body and the head, and looking at the separate features of the face, the signs of nutrition, and the apparent age of the child. Then in the second place, having requested the teacher to ask the children to stand up and hold out their hands, I notice the postures of the body, the head and the spine, the arms and the hands, *as well as the movements of these parts*. The signs

visible in the face and eyes can be seen at the same time ; these have all been described in preceding lectures. Judging from the various signs thus seen, and without asking questions or speaking to the children of our purposes, it is easy to report upon them thus :

1. As to their development, whether good class or low class.

2. As to the present state of their nutrition, both of body and brain.

3. As to the present condition of the nerve-system, including such points as its probable healthiness, weakness, exhaustion, the signs of headaches, or slight St. Vitus' dance (chorea). Dulness of the nerve-system, together with other signs of born imperfections or defects, is formidable from the point of view of further success, and should always attract attention, and stimulate the teacher's energy.

Can this knowledge be made of use? The good of the children is the motor power by which we work, and those who acquire the most knowledge of children will, in the end, acquire power and success in education, despite any temporary difficulties.

Let me give a few practical examples. At a Board School I visited the sixth standard girls in company with some friends, and requested the teacher to point out, unknown to the children, those who gave the most trouble. Among them were two small but well-made children,—the nerve-system in each was exhausted ; had this been known on authority by the managers, might not these children have been exempted from examination, and the teacher from the necessity to press them on, though still requiring their attendance at school?

In a high class school, a boy presented a general good development, but his nerve-system was exhausted; he had far too much movement, showing brain irritability. The master said he worked well, but his father often wrote letters to the school expressing his desire that the lad might do more work, and move up in the school quickly; the head master wished the same. Here is a case where knowledge of a precise kind, possessed by the master of the class, would necessarily put power in his hands to act for the boy's real good. On the other hand, where development is slightly defective, but nutrition good, it is for the child's benefit that he should not be excused from due work, except when knowledge shows that the work is harmful. Regular and appropriate work is essential to due brain development and healthy growth.

Looking over the classes of a well-arranged large primary school, and comparing the condition of the children with that of those of all ages who had only recently commenced school attendance, I have been struck with the marked improvement of the nerve-system which seems to occur under good education.

Many statements have been made, both here and in other countries, as to the present condition of children in the primary and higher schools, and some not unreasonable anxiety has been raised in the public mind in this matter. It seems to me that it is highly desirable to separate the question of the actual condition of the children from the probable causes of any defects which may be found to be common among them; we should endeavour to determine the two questions, the *actual* condition and its causation: the latter is a very

complex question. As far as I am able to express any opinion from my own observations in Board Schools in London and elsewhere, I think that probably about six per cent. or more of the children show defects, or exhaustion of the nerve-system, and the number of cases of eye defects appears to be large.

It is very desirable to obtain some certain knowledge as to the average condition of the children in our primary schools, and this can only be done by direct observation of the children, independent of questions asked. I would submit that we should have a report, say of 10,000 children in our schools, giving their actual condition as observed. Statements should not be dependent upon the answers to questions put to parents or teachers, and the signs to be observed must be clearly defined and scheduled. It is generally acknowledged that children are not all alike, they are not all cast in the same mould; but before children can be classified as to their make and their condition, we must have precise knowledge as to what is to be observed, and how to proceed in the matter. In these lectures I have endeavoured to give such knowledge.

A knowledge of children concerns us all in the discharge of our duties, whether they be those of the parent, the teacher, or the school manager. The child is sent to school to be submitted to the beneficent influences of education. We will not attempt here to define what is meant by the term education, but we mean those processes which are designed not only for giving knowledge; but further, to draw out and organize all the latent powers of the child, that he may become good, active, and intelligent, as well as be possessed of learning.

Parents have often consulted me as to whether a delicate child may with advantage enter upon or continue school life, or with regard to older boys, whether they may with safety prepare for competitive examinations and submit to the strains involved thereby. When the development and nutrition are good, and when no signs of exhaustion are seen, I always advise that the effort be made, but the child should be watched while undergoing any prolonged strain from hard work. Many an effort may be wisely allowed when those around are capable of watching the effects.

Again, to give practical illustration. It is common in Board Schools to find in the lowest standard children of defective make, trying to the teacher no doubt, little boys and girls whose make and inherited conditions cause them to tend to badness rather than to learn to be good. Such children, if known to the managers, might be specially commended to the teacher's care, and honour and reward should be given to the teacher who honestly and laboriously tries to benefit them. Such boys and girls could not be expected to pass the successive standards, but they should be kept in some school for their own good and the public good. Knowledge as to the physical condition of children is necessary to distinguish those slightly defective, from those merely stupid and lazy, who ought to be made to work and not exempted or spared from punishment. On the subject of the eye conditions of children, I say nothing; facts have been ably put together by Mr. Brudenell Carter, Mr. Priestley Smith, and others. It only remains for me to say on that subject that eye defects *are common* sources of headache in school children.

I do not hesitate to urge the importance of appreciating the physical condition of our children, for it is among the slightly wrong-headed children that we have a large proportion of our future men and women who will prove social failures, paupers, and criminals. Let us then pick out and save such children, not necessarily making the teacher press them through successive standards, but holding him in honour and in duty bound to cultivate them, and strictly to require their continued attendance at school, if practicable, as the only hope of their moral and social welfare.

The blind and the dumb are now specially cared for, so should those children be who are weak or born a little wrong-headed, and for similar reasons, it is their right and to the public advantage.

While thus endeavouring to impress my own opinions and estimate of the value of knowledge as to the physical condition of school children, I am very desirous of gaining information from managers and teachers, in order that we may all work together with a common object, with unity of purpose, liberality where we differ or see differently, and in a spirit of charity to all.

A knowledge of the signs of the condition of the brain will also be useful to school managers in their supervision of the younger teachers. I have seen a young woman, who presented the complete type of nervous exhaustion, standing before her class, truly an object for sympathy, but a bad impression must have been produced thereby upon the little ones.

Let me present to you a report of what was seen at a high-class school I was invited to visit.

Third class, seen 1885. Twenty-nine boys present at a lecture on geometry, 2.30 o'clock.

No questions were asked, and the lesson proceeded as usual ; I observed the boys during the lecture, first from the master's desk, afterwards from a side table so as to get a good profile view.

This group of boys appeared generally healthy and well. As I looked at each boy at his desk, eight of them attracted my attention :—

A, B.—Two used spectacles.

C, D.—Two did not use spectacles, but appeared to be short-sighted.

E, F.—Two showed some developmental defects.

G, H.—Two appeared somewhat exhausted in the nerve-system, and are likely to be subject to headaches ; this is probably not a temporary condition.

No detailed examination of individual boys was made, but the grounds of the opinion given in the cases of E, F and G, H may be stated. E, F showed no signs of brain exhaustion or of headaches. The following signs of defective development are probably of long standing, or from birth.

E. One of the biggest boys in the class ; he must weigh heavy, and speaks with a loud voice. As signs of defective development I observed that the ears were ill-shapen, the head too round in form, and wanting in characteristic points. As a sign of defect (probably permanent) in the nerve-system, there was excessive and coarse action of the muscles in the forehead, causing horizontal and vertical furrows. Evidence that he was not exhausted was seen in the symmetry of nerve-muscular action on the two sides

of the body. It was observed that the over-muscular action of the face lessened as the lecture proceeded. He lost places in class.

F. A small boy with a badly shapen head, though it was not small ; this may have been due to rickets in early life. As to the nerve-system, he was too mobile, and there was a little over-action of the frontal muscles. He was distinctly fidgety, or playful, and lost places in class.

G. A boy of fair complexion, with light hair, rather under the average size, but placed second in the class. The following signs of nerve-exhaustion were seen :—Too little general mobility in the limbs and in the mobile features of the face, producing a dull expression ; in the forehead, however, there were fine horizontal lines, or furrows, due to recurrent over-action of the frontal muscles. A further sign of exhaustion and probable liability to headaches was observed in marked fulness under the eyes, due to relaxation in the circular muscles. No signs of developmental defects were apparent.

H. A boy of fair complexion, with light hair, placed 24th in the class ; he lost places. The signs of nerve-exhaustion were :—Over-mobility ; the arms were several times thrown about, often with the left hand clenched ; he was decidedly fidgety. There was fulness under each eye, indicating that probably he is a sufferer from headaches. In addition, a slight sign of developmental defect was seen—the left ear was ill-formed.

Examples might easily be multiplied.

Teachers have said that exhaustion in children is often due more to mismanagement at home, rather than to work in school. That may be so in some

instances. Let me sketch a case for you. A girl twelve years old, comes to school in the morning with too little spontaneous movement, the head is not held erect, the face is pale, the muscles around the eyes are relaxed, the eyes are wandering and not fixed or controlled in their movements by sights and sounds, the free hand is in the feeble posture. The attention is not readily fixed, she is fidgety and restless; such signs indicate exhaustion and irritability. We assume that the school is well arranged, and the work suitable. Later in the morning the child brightens up and works better, so that at the close of morning lessons she appears in better condition than when she came under school influences. Now if the teacher knows from questions put, or other sources of information, that it be not the school work that produces exhaustion and depression, should the matter end there? If the teacher's opinion be founded on *facts* observed, would not any reasonable loving parent allow a friendly remonstrance or suggestion? If such conditions continue in the child, may she not exert a harmful moral influence in the school, such as may justify a stronger remark on the part of the school manager? Still, it cannot be expected that parents will readily listen to vague reports of their children, or to such as are not founded on precise and definite grounds.

We have a system of public education supported by the rate-payers, which is presumably undertaken for the benefit of the children and the benefit of the public. The educational processes are arranged for *average* children; are they adapted to all children? *The deaf* and the blind children are now in part *provided* for in special class rooms. I desire to draw

attention to another class—the nervous, irritable children ; children who are irregular in school attendance on account of frequent headaches, chorea, occasional fits, habitual truants whose brain defect can be proven ; children so dull that they remain among the infants and learn nothing but to be good. As a hospital physician I meet with many such children ; doubtless they form but a small percentage of the school population, but they form a social danger.

Why are the deaf and the blind educated ? A part of the reason is that they may not become paupers. Why then are the children of slight brain defect not specially cared for, children tending to become passionate, picking up bad habits and practising them, tending to criminality, or if too feeble for that to pauperism ? They are not neglected intentionally, but because they are not known to the managers ; it is nobody's business to find them out ; they are not classified, and take their chance. Now my argument is, that we can discover such children, and pick them out in a school by definite physical signs ; we can point out the children not up to the average, and tending to failure from want of brain power.

To say that such children are few in every school is no reason for their neglect ; we rejoice that but few have such inborn conditions as make them tend to social failure, pauperism, or crime, but we wish that none should thus fail. Let the tendencies of children be detected early and pointed out to the educationalist, that such children may be specially cared for, helping to correct the tendencies due to defects of brain.

Neglect in these matters does lead to unintentional cruelty to children, and, to what I think more important,

the educational neglect of wrong-brained children. This is due to ignorance, for which the public and the school managers are responsible.

Now as to these wrong-brained children, they are worth helping: in many cases a genius differs from ordinary children; the very faults and nervousness may be trained to become admirable qualities—sensitiveness and mobility of mind, and the fidgety child may become an active man. It is to be feared, however, that too often such children escape, and are excused from an educational process unsuited to them, but still better than no education, for such children more especially need the benefits of a wise training. The nervous excitable boy, always ill with sick headaches while at school, is excused from attendance, and at home he is idle; we often see him at the hospital. Too often the parents are neglectful and unwise, and as he grows up, when drink or passion inflames him, he commits some act bringing him within the power of the police. I have seen the education of many such children continued with success when they are removed from large schools and placed at small schools. Again, the weak-brained, feeble-minded child is often so teased, that at last he cannot be induced to go to school; his attendance is excused on the ground of health. What becomes of him after that? Habitual truants have often been brought to me at the hospital; the defective condition may be obvious. The fine is paid by the father, but this does not educate the child; the mother often wishes that Johnny would go to school and be a good boy, but the school is unsuited to him, and she cannot help it.

We say that these wrong-headed children can easily

be pointed out to school managers, and can be educated in special classes in day schools. At a school inspection it would be easy to see who required special care; the teachers would present for examination any child found specially troublesome, often complaining, very passionate, morally defective, etc.; and the cases of children excused attendance on grounds of health would be considered; advice might be given on all such cases to the managers. I was recently consulted about a little girl who suddenly developed a tendency to steal; she had heart disease and a tendency to rheumatism; six weeks' care made her all right again, and removed the causes of moral obliquity; she was not called a sinner, and was sent to school again as a happy, good child; she will be watched and will probably do very well. At a school a child was presented by the teacher as "not dull but somehow wrong"; grave brain defect was obvious; the advice was given to keep the child, if possible, at school and out of the gutters.

In classes for the dumb children at a London Board School I have seen children very defective in brain being well trained; in the highest classes of asylums for imbeciles, feeble-minded children are educated and sent out into the world. Small classes and specially trained teachers might be provided for the dull, the excitable, the wrongly-made children, as a safety and protection to society.

As to the expense of teaching a few children, say 50 in a 1,000, in a special class room, would not the money be well spent in an effort to lessen crime, pauperism, and social failure at its commencement? Should the endeavour be made to educate and save

the child, or to reform the drunkard and criminal, and redeem the pauper to society?


When a teacher takes special pains to keep a feeble child in school, and save and train him, even if he cannot pass the standards, that teacher should be honoured and commended. Every weakly or troublesome child who now escapes from public education is a failure in the system, and is likely to be a public loss. The brain can be improved by education, and tends to degenerate when neglected.


The work I plead for is heavy to undertake and carry through, but it is not impossible; all should help by studying the children earnestly and patiently, then the best methods of management and classified training would soon be known and applied for our common good.

To seek to gain knowledge and to diffuse it is worth an effort, and requires combination of efforts. Will those responsible for the care of children tell us how we can help them in their grave responsibilities?

Briefly to sum up. Let us learn to observe children that we may know the make of them and their condition. Let us find out what to observe as signs of their make and their condition. When we have learnt to observe the condition of children, let us study how best to aid their development and improvement in mind and in body, for the two must go together if we wish for good and healthy children growing into good, useful, well-toned men and women.


Who will help in such work? Can we not work together?






~~NOV 23 1937~~

~~APR 27 1974~~



NOV 23 1937

APR 27 1974



NOV 28 1937

APR 27 1974

